



# PT. INDO LYSAGHT

## MATERIAL SAFETY DATA SHEET

### Company Details :

MANUFACTURER'S NAME AND ADDRESS :

PT. INDO LYSAGHT

Jl. Kapten Tole Iskandar Km. 2

Sukmajaya (Depok)

Cimanggis – Bogor

West Java – Indonesia

EMERGENCY TELEPHONE NO. :

62 – 2 1 – 77828971/ 77828974

### PRODUCT : ZINC OXIDE (ZnO)

### 1. Identification Of Substance :

Trade name : Zinc oxide

Chemical Formula : ZnO

### 2. Composition/ Data on components :

#### Chemical characterization

• Description (CAS #) : Zinc Oxide (CAS # 1314-13-2)

#### Identification number (s) :

• EINECS Number : 215-222-5

### 3. Hazards identification :

Hazard description : Xn Harmful

Information pertaining to particular dangers for man and environment : R 20 Harmful by inhalation

### 4. First Aid Measures :

After inhalation : Supply fresh air. If required, provide artificial respiration.  
Keep patient warm. Seek immediate medical advice.

After skin contact : Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact : Rinse opened eye for several minutes under running water.  
Then consult a doctor.

After swallowing : Seek immediate medical advice.

## 5. Fire Fighting Measures :

<b>Suitable extinguishing agents</b>	: Product is not flammable. Use fire fighting measures that suit the surrounding fire.
<b>Protective equipment</b>	: Wear self-contained respirator. Wear fully protective impervious suit.

## 6. Accidental Release Measures :

<b>Person-related safety precautions</b>	: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
<b>Measures for environmental protection</b>	: Do not allow material to be released to the environment without proper governmental permits.
<b>Measures for cleaning/ collecting</b>	: Dispose contaminated material as waste according to item 14. Ensure adequate ventilation.
<b>Additional information</b>	: See section 8 for information on safe handling. See section 9 for information on personal protection equipment. See section 14 for disposal information.

## 7. Handling and Storage :

<b>Handling</b>	
<ul style="list-style-type: none"><li>• <b>Information for safe handling</b></li></ul>	: Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.
<ul style="list-style-type: none"><li>• <b>Information about protection against explosions and fires</b></li></ul>	: No special measures required.
<b>Storage</b>	.
<ul style="list-style-type: none"><li>• <b>Requirements to be met by storerooms and receptacles</b></li></ul>	: No special requirements.
<ul style="list-style-type: none"><li>• <b>Information about storage in one common storage facility</b></li></ul>	: Not required.
<ul style="list-style-type: none"><li>• <b>Further information about storage conditions</b></li></ul>	: Keep container tightly sealed. Store in cool, dry place in tightly closed containers.

## 8. Exposure Controls and Personal Protection :

<b>Additional information about design of technical systems</b>	: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
<b>Components with limit values that require monitoring at the workplace</b>	
<b>Zinc oxide</b>	: $\text{mg/ m}^3$
<b>ACGIH TLV</b>	: 10
<b>Belgium TWA</b>	: 10, 5 $\text{mg/ m}^3$ STEL
<b>Denmark TWA</b>	: 4
<b>Finland TWA</b>	: 5 fume
<b>France TWA</b>	: 5 fume
<b>Hungary TWA</b>	: 5
<b>Ireland TWA</b>	: 5, 10 $\text{mg/ m}^3$ STEL fume
<b>Netherlands TWA</b>	: 5 fume
<b>Poland TWA</b>	: 5 fume
<b>Sweden TWA</b>	: 5
<b>Switzerland TWA</b>	: 5
<b>United Kingdom TWA</b>	: 5, 10 $\text{mg/ m}^3$ STEL
<b>USA PEL</b>	: 15 total dust, 5 $\text{mg/ m}^3$ respirable
<b>Additional information</b>	: No data
<b>Personal protective equipment</b>	
• <b>General protective and hygienic measures</b>	: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.
• <b>Breathing equipment</b>	: Use suitable respirator when high concentrations are present.
• <b>Protection of hands</b>	: Impervious gloves.
• <b>Eye protection</b>	: Safety glasses.
• <b>Body protection</b>	: Protective work clothing.

## 9. Physical and Chemical Properties :

<b>Form</b>	: Powder
<b>Color</b>	: White.

	VALUE / RANGE	UNIT	METHOD
<b>Melting point/ Melting range</b>	:	1975°C	
<b>Boiling point/ Boiling range</b>	:	Not determined	
<b>Flash point</b>	:	Not determined	
<b>Sublimation temperature/ start</b>	:	Not determined	
<b>Ignition temperature</b>	:	Not determined	
<b>Danger of explosion</b>	:	Product does not present an explosion hazard.	
<b>Explosion limits</b>	:	Not determined	
• <b>Lower</b>	:	Not determined	
• <b>Upper</b>	:	Not determined	
• <b>Vapor pressure</b>	:	Not determined	
<b>Density</b>	: at 20 °C	5.606 g/ cm <sup>3</sup>	
<b>Solubility in/ Miscibility with</b>			
• <b>Water</b>	:	Insoluble	

## 10. Stability and Reactivity :

<b>Thermal decomposition/ conditions to be avoided</b>	:	Decomposition will not occur if used and stored according to specifications.
<b>Materials to be avoided</b>	:	Alkali metals. Alkaline earth metals.
<b>Dangerous reactions</b>	:	Reacts with various metals.
<b>Dangerous products of decomposition</b>	:	No dangerous decomposition product known.

## 11. Toxicological Information :

### Acute toxicity

- **LD/ Lc50 values that are relevant for classification** : Zinc oxide (CAS# 1314-13-2); 100%  
Oral: LD50 : 7950 mg/ kg (mus)  
LD50 : 8437 mg/ kg (rat)  
Inhalative : LC50: 2500 mg/ m<sup>3</sup> (mus)

### Primary irritant effect

- **On the skin** : Irritant to skin and mucous membranes.
- **On the eye** : Irritating effect.

### Sensitization

: No sensitizing effects known.

### Subacute to chronic toxicity

: Zinc containing fumes may cause metal fume fever. Effect include dry throat, metallic taste, chest pain, dyspnea, rales and dry cough. Several hours later, chills may occur with lassitude, malaise, fatigue, headache, back pain, muscle cramps, blurred vision, nausea, fever, perspiration, vomiting and leukocytosis.

### Additional toxicological information

: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.  
EFA-D : Not classifiable as to human carcinogenicity : inadequate human and animal evidence of carcinogenicity or no data are available.

## 12. Ecological Information :

### General notes

: Do not allow material to be released to the environment without proper governmental permits.

## 13. Disposal Considerations :

### Product

- **Recommendation** : Consult state, local or national regulations for proper disposal.

### Uncleaned packaging

- **Recommendation** : Disposal must be made according to official regulations.

## 14. Transport information :

### Not a hazardous material for transportation

- **Dot regulations**
- Hazard class : None
- Land transport ADR/ RID (cross-border)
- ADR/RID class : None
- Maritime transport IMDG
- IMDG class : None
- Air transport ICAO-TI and IATA-DGR
- ICAO/ IATA class : None
- Transport/ Additional information : Not dangerous according to the above specifications.

## 15. Regulations :

### Product related hazard information

- **Hazard symbols** : Xn Harmful.
- **Risk phrases** : 20 Harmful by inhalation.
- **Safety phrases** : 9 Keep container in a well ventilated place.  
36 wear suitable protective clothing..
- **National regulations** : All components of this product are listed in the U.S Environmental Protection agency Toxic Substance Control Act Substance Inventory.
- **Information about limitation of use** : For use only by technically qualified individuals.  
inhalation.

## 16. Others Information :

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.